

ITW AAMTech Australia

Chemwatch: **4852-53** Version No: **2.1.1.1**

Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 2

Issue Date: 01/01/2013 Print Date: 11/07/2016 Initial Date: Not Available S.GHS.NZL.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | Wynn's Engine Flush | |
|-------------------------------|---------------------|--|
| Synonyms | Not Available 65901 | |
| Other means of identification | Not Available | |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified | Cleaning fluid for vehicle engines. |
|---------------------|-------------------------------------|
| uses | Cleaning had for vehicle engines. |

Details of the supplier of the safety data sheet

| Registered company name | ITW AAMTech Australia | Autoserv NZ Ltd |
|-------------------------|---|--|
| Address | 1-9 Nina Link, Dandenong South VIC 3175 Australia | Unit 2/38 Trugood Drv, East Tamaki AUCK 2013 New Zealand |
| Telephone | 1800 177 989 | 0800 438 996 |
| Fax | 1800 308 556 | Not Available |
| Website | www.aamtech.com.au | Not Available |
| Email | info@aamtech.com.au | warehouse@autoserv.co.nz |

Emergency telephone number

| Association / Organisation | Not Available | Not Available |
|-----------------------------------|----------------|----------------|
| Emergency telephone numbers | 1800 039 008 | 0800 2436 2255 |
| Other emergency telephone numbers | 0800 2436 2255 | 0800 764 766 |

SECTION 2 HAZARDS IDENTIFICATION


Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

| Classification ^[1] | Flammable Liquid Category 4, Carcinogenicity Category 2, Specific target organ toxicity - single exposure Category 3 (narcotic effects), Aspiration Hazard Category 1 | |
|---|---|--|
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI | |
| Determined by Chemwatch using GHS/HSNO criteria | 3.1D, 6.1E (aspiration), 6.7B, 6.9 (narcotic) | |

Label elements









SIGNAL WORD

DANGER

Hazard statement(s)

| H227 | Combustible liquid | |
|------|---|--|
| H351 | Suspected of causing cancer. | |
| H336 | May cause drowsiness or dizziness. | |
| H304 | May be fatal if swallowed and enters airways. | |

Precautionary statement(s) Prevention

| P101 | If medical advice is needed, have product container or label at hand. | |
|------|---|--|
| P102 | Keep out of reach of children. | |
| P103 | Read label before use. | |
| P201 | Obtain special instructions before use. | |

Precautionary statement(s) Response

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. | |
|-----------|--|--|
| P308+P313 | IF exposed or concerned: Get medical advice/attention. | |
| P331 | Do NOT induce vomiting. | |
| P370+P378 | In case of fire: Use alcohol resistant foam or normal protein foam for extinction. | |

Precautionary statement(s) Storage

| P403+P235 | Store in a well-ventilated place. Keep cool. | |
|-----------|--|--|
| P405 | Store locked up. | |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. | |

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|-----------|--|
| 64741-97-5. | 30-60 | naphthenic distillate, light, solvent-refined (severe) |
| 68476-34-6 | 30-60 | middle distillate |
| Not Available | <10 | other non-hazardous ingredients |

SECTION 4 FIRST AID MEASURES

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

Description of first aid measures

Eye Contact

If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

• Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

- ▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Chemwatch: 4852-53 Page 3 of 9 Issue Date: 01/01/2013 Version No: 2.1.1.1 Print Date: 11/07/2016

| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
|--------------|---|
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. |
| Ingestion | For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay. |

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to petroleum distillates or related hydrocarbons:

- Primary threat to life, from pure petroleum distillate ingestion and/or inhalation, is respiratory failure.
- Patients should be quickly evaluated for signs of respiratory distress (e.g. cyanosis, tachypnoea, intercostal retraction, obtundation) and given oxygen. Patients with inadequate tidal volumes or poor arterial blood gases (pO2 50 mm Hg) should be intubated.
- · Arrhythmias complicate some hydrocarbon ingestion and/or inhalation and electrocardiographic evidence of myocardial injury has been reported; intravenous lines and cardiac monitors should be established in obviously symptomatic patients. The lungs excrete inhaled solvents, so that hyperventilation improves clearance
- A chest x-ray should be taken immediately after stabilisation of breathing and circulation to document aspiration and detect the presence of pneumothorax.
- Epinephrine (adrenalin) is not recommended for treatment of bronchospasm because of potential myocardial sensitisation to catecholamines. Inhaled cardioselective bronchodilators (e.g. Alupent, Salbutamol) are the preferred agents, with aminophylline a second choice.
- Lavage is indicated in patients who require decontamination; ensure use of cuffed endotracheal tube in adult patients. [Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

| Fire | Incom | patibility |
|------|-------|------------|

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Fire/Explosion Hazard

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- ▶ Prevent, by any means available, spillage from entering drains or water course.
- ▶ Use water delivered as a fine spray to control fire and cool adjacent area.

Combustible

- Slight fire hazard when exposed to heat or flame.
- ▶ Heating may cause expansion or decomposition leading to violent rupture of containers.
- ▶ On combustion, may emit toxic fumes of carbon monoxide (CO).

Combustion products include; carbon dioxide (CO2) nitrogen oxides (NOx) sulfur oxides (SOx) other pyrolysis products typical of burning organic material

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills

Slippery when spilt.

- ▶ Remove all ignition sources.
- ▶ Clean up all spills immediately.

Issue Date: **01/01/2013**Print Date: **11/07/2016**

| | Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. |
|--------------|---|
| Major Spills | Slippery when spilt. Remove all ignition sources. Minor hazard. • Clear area of personnel. • Alert Fire Brigade and tell them location and nature of hazard. • Control personal contact with the substance, by using protective equipment as required. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

Other information

- ► Store in original containers.
- Keep containers securely sealed.
- ▶ No smoking, naked lights or ignition sources.
- Store in a cool, dry, well-ventilated area.

Conditions for safe storage, including any incompatibilities

Suitable container

- ► Metal can or drum
- ▶ Packaging as recommended by manufacturer.
- ▶ Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid storage with oxidisers

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|--|--|----------------------|------------|-------------|------------------|---|
| New Zealand Workplace Exposure Standards (WES) | naphthenic distillate, light, solvent-refined (severe) | Oil mist, mineral | 5 mg/m3 | 10 mg/m3 | Not Available | Sampled by a method that does not collect vapour. |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--|--|-----------|-----------|------------|
| naphthenic distillate, light, solvent-refined (severe) | Mineral oil, petroleum distillates, solvent refined light naphthenic | 15 mg/m3 | 340 mg/m3 | 2000 mg/m3 |
| middle distillate | Diesel fuels | 100 mg/m3 | 100 mg/m3 | 1500 mg/m3 |


| Ingredient | Original IDLH | Revised IDLH |
|--|---------------|---------------|
| naphthenic distillate, light, solvent-refined (severe) | Not Available | Not Available |
| middle distillate | Not Available | Not Available |
| other non-hazardous ingredients | Not Available | Not Available |

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:



Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Clear thin amber liquid with mild petroleum odour; does not mix with water. | | |
|--|---|---|----------------|
| | | | |
| Physical state | Liquid | Relative density (Water = 1) | 0.878 |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Applicable | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | -32 | Viscosity (cSt) | 5.0 |
| Initial boiling point and boiling range (°C) | 163 | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | 79 | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Combustible. | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Negligible | Gas group | Not Available |
| Solubility in water (g/L) | Immiscible | pH as a solution (1%) | Not Applicable |
| Vapour density (Air = 1) | >1 | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|--------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |

Issue Date: **01/01/2013** Print Date: **11/07/2016**

| Possibility of hazardous reactions | See section 7 |
|--|---------------|
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo. Inhalation of vapour is more likely at higher than normal temperatures. |
|--------------|---|
| Ingestion | Ingestion may result in nausea, pain, vomiting. Vomit entering the lungs by aspiration may cause potentially lethal chemical pneumonitis. |
| Skin Contact | The liquid may be miscible with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives . |
| Eye | There is some evidence to suggest that this material can cause eye irritation and damage in some persons. |
| Chronic | There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Chronic solvent inhalation exposures may result in nervous system impairment and liver and blood changes. [PATTYS] Constant or exposure over long periods to mixed hydrocarbons may produce stupor with dizziness, weakness and visual disturbance, weight loss and anaemia, and reduced liver and kidney function. Skin exposure may result in drying and cracking and redness of the skin. |

| | TOXICITY | IRRITATION | |
|---------------------------------|---|---------------|--|
| Wynn's Engine Flush | Not Available | Not Available | |
| | тохісіту | IRRITATION | |
| | Dermal (rabbit) LD50: >2000 mg/kg ^[1] | Not Available | |
| | Inhalation (rat) LC50: >3.9 mg/l/4hr ^[1] | | |
| | Inhalation (rat) LC50: >4.7 mg/l/4hr ^[1] | | |
| naphthenic distillate, | Inhalation (rat) LC50: >5 mg/l/4hr ^[1] | | |
| light, solvent-refined (severe) | Inhalation (rat) LC50: >5.2 mg/l/4hr ^[1] | | |
| | Inhalation (rat) LC50: >5.3 mg/l/4hr ^[1] | | |
| | Inhalation (rat) LC50: 10.5 mg/l/4hr ^[1] | | |
| | Inhalation (rat) LC50: 5.7 mg/l/4hr ^[1] | | |
| | Inhalation (rat) LC50: 9.6 mg/l/4hr ^[1] | | |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | | |
| | тохісіту | IRRITATION | |
| middle distillate | Dermal (rabbit) LD50: >4200 mg/kg ^[1] | Not Available | |
| | Oral (rat) LD50: 7560 mg/kg ^[1] | | |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | |

No significant acute toxicological data identified in literature search.

The materials included in the Lubricating Base Oils category are related from both process and physical-chemical perspectives;

NAPHTHENIC DISTILLATE, LIGHT, SOLVENT-REFINED (SEVERE)

The potential toxicity of a specific distillate base oil is inversely related to the severity or extent of processing the oil has undergone, since:

- ▶ The adverse effects of these materials are associated with undesirable components, and
- ▶ The levels of the undesirable components are inversely related to the degree of processing;
- ▶ Distillate base oils receiving the same degree or extent of processing will have similar toxicities;
- The potential toxicity of *residual base oils* is independent of the degree of processing the oil receives.
- ▶ The reproductive and developmental toxicity of the distillate base oils is inversely related to the degree of processing.

Chemwatch: 4852-53 Page 7 of 9 Issue Date: 01/01/2013 Version No: 2.1.1.1 Print Date: 11/07/2016

Wynn's Engine Flush

Unrefined & mildly refined distillate base oils contain the highest levels of undesirable components, have the largest variation of hydrocarbon molecules and have shown the highest potential carcinogenic and mutagenic activities. Highly and severely refined distillate base oils are produced from unrefined and mildly refined oils by removing or transforming undesirable components.

For highly and severely refined distillate base oils:

In animal studies, the acute, oral, semilethal dose is >5g/kg body weight and the semilethal dose by skin contact is >2g/kg body weight. The semilethal concentration for inhalation is 2.18 to >4 mg/L. The materials have varied from "non-irritating" to "moderately irritating" when tested for skin and eye irritation. Testing for sensitisation has been negative.

The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans.

Evidence of carcinogenicity may be inadequate or limited in animal testing.

MIDDLE DISTILLATE

No significant acute toxicological data identified in literature search.

| Acute Toxicity | 0 | Carcinogenicity | ~ |
|-----------------------------------|---|-----------------------------|----------|
| Skin Irritation/Corrosion | 0 | Reproductivity | 0 |
| Serious Eye Damage/Irritation | 0 | STOT - Single Exposure | ~ |
| Respiratory or Skin sensitisation | 0 | STOT - Repeated Exposure | 0 |
| Mutagenicity | 0 | Aspiration Hazard | ✓ |

Legend:

🗶 – Data available but does not fill the criteria for classification

✓ – Data required to make classification available

N - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

| Ingredient | Endpoint | Test Duration (hr) | Species | Value | Source |
|--|--|--------------------|-----------|-----------|--------|
| naphthenic distillate, light, solvent-refined (severe) | EC50 | 48 | Crustacea | >1000mg/L | 1 |
| naphthenic distillate, light, solvent-refined (severe) | NOEC | 504 | Crustacea | >1mg/L | 1 |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data | | | | |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air | |
|------------|---------------------------------------|---------------------------------------|--|
| | No Data available for all ingredients | No Data available for all ingredients | |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Mobility in soil

| , | |
|------------|---------------------------------------|
| Ingredient | Mobility |
| | No Data available for all ingredients |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Authority for disposal.

Issue Date: **01/01/2013**Print Date: **11/07/2016**

- ▶ Bury or incinerate residue at an approved site.
- Recycle containers if possible, or dispose of in an authorised landfill.

Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001.

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number | Group Standard |
|------------|---|
| HSR002587 | Fuel Additives (Combustible, Toxic [6.7]) Group Standard 2006 |

NAPHTHENIC DISTILLATE, LIGHT, SOLVENT-REFINED (SEVERE)(64741-97-5.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

New Zealand Workplace Exposure Standards (WES)

New Zealand Inventory of Chemicals (NZIoC)

MIDDLE DISTILLATE(68476-34-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

Location Test Certificate

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, a location test certificate is required when quantity greater than or equal to those indicated below are present.

| Hazard Class | Quantity beyond which controls apply for closed containers | Quantity beyond which controls apply when use occurring in open containers |
|----------------|--|--|
| Not Applicable | Not Applicable | Not Applicable |

Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations and Regulation 9 of the Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

| Class of substance | Quantities |
|--------------------|----------------|
| Not Applicable | Not Applicable |

Refer Group Standards for further information

Tracking Requirements

Not Applicable

| National Inventory | Status |
|--------------------|---|
| Australia - AICS | Y |
| Canada - DSL | Y |
| Canada - NDSL | N (middle distillate; naphthenic distillate, light, solvent-refined (severe)) |
| China - IECSC | Υ |

Chemwatch: 4852-53 Page 9 of 9 Issue Date: 01/01/2013 Version No: 2.1.1.1 Print Date: 11/07/2016

Wynn's Engine Flush

| Europe - EINEC / ELINCS / NLP | Y |
|----------------------------------|---|
| Japan - ENCS | N (middle distillate; naphthenic distillate, light, solvent-refined (severe)) |
| Korea - KECI | Y |
| New Zealand - NZIoC | Y |
| Philippines - PICCS | Y |
| USA - TSCA | Y |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|-------------------|------------------------|
| middle distillate | 68334-30-5, 68476-34-6 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.