# **Wynn's Purple Power**

**Autoserv NZ Ltd** 

Chemwatch: 62108 Version No: 9.1.1.1

Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 3

Issue Date: **13/03/2019**Print Date: **26/08/2019**S.GHS.NZL.EN

#### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

| Product name                  | Wynn's Purple Power   |  |
|-------------------------------|---|--|
| Synonyms                      | engine degreaser Callington Haven; 69609 200 litres 69620 20 litres |  |
| Proper shipping name          | CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide)                |  |
| Other means of identification | Not Available   |  |

# Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Water -based cleaner for many applications |
|--------------------------|--|
|                          |  |

# Details of the supplier of the safety data sheet

| Registered company name | Autoserv NZ Ltd  |
|-------------------------|--|
| Address                 | Unit 2/38 Trugood Drv, East Tamaki AUCK 2013 New Zealand |
| Telephone               | 0800 438 996   |
| Fax                     | Not Available  |
| Website                 | Not Available  |
| Email                   | warehouse@autoserv.co.nz                                 |

# **Emergency telephone number**

| Association / Organisation        | Autoserv NZ Ltd            |
|-----------------------------------|----------------------------|
| Emergency telephone numbers       | +800 2436 2255 (All Hours) |
| Other emergency telephone numbers | 0800 764 766               |

# **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Classified as Dangerous Goods for transport purposes.

| Classification <sup>[1]</sup>                         | Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1   |  |
|---|--|--|
| Legend:   | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI |  |
| Determined by<br>Chemwatch using<br>GHS/HSNO criteria | 8.1A, 8.2A, 8.3A   |  |

# Label elements

Hazard pictogram(s)



Chemwatch: 62108 Version No: 9.1.1.1 Page 2 of 11

Wynn's Purple Power

Issue Date: 13/03/2019 Print Date: 26/08/2019

| SIGNAL WORD         | DANGER                      |
|---------------------|-----------------------------|
| Hazard statement(s) |                             |
| H290                | May be corrosive to metals. |

Causes severe skin burns and eye damage.

# Precautionary statement(s) General

H314

| ,                                   |   |  |  |
|-------------------------------------|---|--|--|
| P101                                | If medical advice is needed, have product container or label at hand. |  |  |
| P102 Keep out of reach of children. |   |  |  |
| P103                                | Read label before use.  |  |  |

#### Precautionary statement(s) Prevention

| P260                                  | Do not breathe dust/fume/gas/mist/vapours/spray.                           |  |
|---------------------------------------|--|--|
| P280                                  | Wear protective gloves/protective clothing/eye protection/face protection. |  |
| P234 Keep only in original packaging. |  |  |

# Precautionary statement(s) Response

| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |  |
|----------------|--|--|
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |  |
| P310           | Immediately call a POISON CENTER/doctor/physician/first aider.   |  |

# Precautionary statement(s) Storage

| P405 | Store locked up. |
|------|------------------|
|------|------------------|

#### Precautionary statement(s) Disposal

| P501 | Dispose of contents/container in accordance with local regulations. |
|------|---|
|------|---|

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### **Substances**

See section below for composition of Mixtures

#### **Mixtures**

| CAS No        | %[weight] | Name   |
|---------------|-----------|--|
| 1310-73-2     | <10       | sodium hydroxide                                 |
| Not Available | <10       | surfactants                                      |
| Not Available | <10       | sequesterent                                     |
| 6834-92-0     | <10       | sodium metasilicate, anhydrous                   |
| Not Available | <10       | water softener                                   |
| 7732-18-5     | >60       | water  |
| Not Available | <1        | other ingredients determined not to be hazardous |

# **SECTION 4 FIRST AID MEASURES**

# Description of first aid measures

If this product comes in contact with the eyes:

# **Eye Contact**

► Immediately hold eyelids apart and flush the eye continuously with running water.

- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- ▶ Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- ► Transport to hospital or doctor without delay.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Chemwatch: 62108 Page 3 of 11 Issue Date: 13/03/2019 Version No: 9.1.1.1 Print Date: 26/08/2019

#### Wynn's Purple Power

If skin or hair contact occurs: ▶ Immediately flush body and clothes with large amounts of water, using safety shower if available. • Quickly remove all contaminated clothing, including footwear. Skin Contact ▶ Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre ▶ Transport to hospital, or doctor. • If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid • Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. ▶ Transport to hospital, or doctor. ▶ Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Inhalation ► Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. ▶ Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) ▶ For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway Ingestion and prevent aspiration. Observe the patient carefully. ▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. • Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. ▶ Transport to hospital or doctor without delay.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short-term repeated exposures to highly alkaline materials:

- · Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
- Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue

Alkalis continue to cause damage after exposure.

#### INGESTION:

• Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- \* Catharsis and emesis are absolutely contra-indicated.
- \* Activated charcoal does not absorb alkali.
- \* Gastric lavage should not be used.

Supportive care involves the following:

- · Withhold oral feedings initially.
- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

# SKIN AND EYE:

▶ Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

#### **SECTION 5 FIREFIGHTING MEASURES**

# **Extinguishing media**

- ▶ Water spray or fog.
- Foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).

# Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

Chemwatch: 62108 Page 4 of 11 Issue Date: 13/03/2019 Version No: 9.1.1.1 Print Date: 26/08/2019

# Wynn's Purple Power

# Advice for firefighters

#### ▶ Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Fire Fighting ▶ Prevent, by any means available, spillage from entering drains or water course. ▶ Use fire fighting procedures suitable for surrounding area. ▶ Non combustible. ▶ Not considered a significant fire risk, however containers may burn. Fire/Explosion Hazard Decomposition may produce toxic fumes of: metal oxides May emit corrosive fumes.

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

| Minor Spills | <ul> <li>Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.</li> <li>Check regularly for spills and leaks.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul> |
|--------------|--|
| Major Spills | <ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> </ul>   |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

| Precautions for safe har | ndling  |
|--------------------------|---|
| Safe handling            | <ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with moisture.</li> </ul> |
| Other information        | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>DO NOT store near acids, or oxidising agents</li> </ul>                  |

# Conditions for safe storage, including any incompatibilities

| Suitable container      | <ul> <li>DO NOT use aluminium, galvanised or tin-plated containers</li> <li>Lined metal can, lined metal pail/ can.</li> <li>Plastic pail.</li> <li>Polyliner drum.</li> <li>Packing as recommended by manufacturer.</li> </ul>                                   |
|-------------------------|---|
| Storage incompatibility | Avoid reaction with , organic materials / compounds • Reacts with aluminium / zinc producing flammable, explosive hydrogen gas • Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. • Avoid contact with copper, aluminium and their alloys. |

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

 Chemwatch: 62108
 Page 5 of 11
 Issue Date: 13/03/2019

 Version No: 9.1.1.1
 Whyppis Purple Power
 Print Date: 26/08/2019

# Wynn's Purple Power

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### **INGREDIENT DATA**

| Source  | Ingredient       | Material name    | TWA           | STEL          | Peak    | Notes         |
|---|------------------|------------------|---------------|---------------|---------|---------------|
| New Zealand Workplace<br>Exposure Standards (WES) | sodium hydroxide | Sodium hydroxide | Not Available | Not Available | 2 mg/m3 | Not Available |

#### **EMERGENCY LIMITS**

| Ingredient                        | Material name                          | TEEL-1        | TEEL-2        | TEEL-3        |
|-----------------------------------|--|---------------|---------------|---------------|
| sodium hydroxide                  | Sodium hydroxide                       | Not Available | Not Available | Not Available |
| sodium metasilicate,<br>anhydrous | Sodium metasilicate pentahydrate       | 6.6 mg/m3     | 73 mg/m3      | 440 mg/m3     |
| sodium metasilicate,<br>anhydrous | Sodium silicate; (Sodium metasilicate) | 3.8 mg/m3     | 42 mg/m3      | 250 mg/m3     |

| Ingredient                        | Original IDLH | Revised IDLH  |
|-----------------------------------|---------------|---------------|
| sodium hydroxide                  | 10 mg/m3      | Not Available |
| sodium metasilicate,<br>anhydrous | Not Available | Not Available |
| water                             | Not Available | Not Available |

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

# Personal protection











# Eye and face protection

- ▶ Chemical goggles.
- Full face shield may be required for supplementary but never for primary protection of eyes.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

# Skin protection

# See Hand protection below

- ► Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber
- ▶ When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

#### Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

# Body protection

See Other protection below

#### Other protection

- Overalls.
- PVC Apron.
- ▶ PVC protective suit may be required if exposure severe.
- ► Eyewash unit.

# Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

**Appearance** 

Clear thin pale purple alkaline liquid with lemon grass fragrance; mixes with water.

Issue Date: 13/03/2019 Print Date: 26/08/2019

| Physical state                               | Liquid         | Relative density (Water = 1)            | 1.075          |
|--|----------------|---|----------------|
| Odour  | Not Available  | Partition coefficient n-octanol / water | Not Available  |
| Odour threshold                              | Not Available  | Auto-ignition temperature (°C)          | Not Applicable |
| pH (as supplied)                             | 13.3           | Decomposition temperature               | Not Available  |
| Melting point / freezing<br>point (°C)       | Not Applicable | Viscosity (cSt)                         | Not Available  |
| Initial boiling point and boiling range (°C) | 100            | Molecular weight (g/mol)                | Not Applicable |
| Flash point (°C)                             | Not Applicable | Taste                                   | Not Available  |
| Evaporation rate                             | Not Available  | Explosive properties                    | Not Available  |
| Flammability                                 | Not Applicable | Oxidising properties                    | Not Available  |
| Upper Explosive Limit (%)                    | Not Applicable | Surface Tension (dyn/cm or mN/m)        | Not Available  |
| Lower Explosive Limit (%)                    | Not Applicable | Volatile Component<br>(%vol)            | Not Available  |
| Vapour pressure (kPa)                        | Not Available  | Gas group                               | Not Available  |
| Solubility in water                          | Miscible       | pH as a solution (1%)                   | 10.5           |
| Vapour density (Air = 1)                     | Not Available  | VOC g/L                                 | Not Available  |
|  |                |   |                |

# **SECTION 10 STABILITY AND REACTIVITY**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

| Inhaled      | Not normally a hazard due to non-volatile nature of product   |
|--------------|---|
| Ingestion    | The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.  |
| Skin Contact | The material can produce chemical burns following direct contact with the skin.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| Eye          | The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating.  |
| Chronic      | Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.        |

| Wynn's Purple Power | TOXICITY  Not Available                         | IRRITATION  Not Available        |
|---------------------|---|----------------------------------|
|                     | TOXICITY  | IRRITATION                       |
| sodium hydroxide    | Dermal (rabbit) LD50: 1350 mg/kg <sup>[2]</sup> | Eye (rabbit): 0.05 mg/24h SEVERE |
|                     |   | Eye (rabbit):1 mg/24h SEVERE     |
|                     |   |                                  |

Issue Date: 13/03/2019 Print Date: 26/08/2019 Wynn's Purple Power

|                       |  | Eye (rabbit):1 mg/30s rinsed-SEVERE                      |  |
|-----------------------|--|--|--|
|                       |  | Eye: adverse effect observed (irritating) <sup>[1]</sup> |  |
|                       |  | Skin (rabbit): 500 mg/24h SEVERE                         |  |
|                       |  | Skin: adverse effect observed (corrosive) <sup>[1]</sup> |  |
|                       | TOXICITY   | IRRITATION   |  |
| sodium metasilicate,  | dermal (rat) LD50: >5000 mg/kg <sup>[1]</sup>  | Skin (human): 250 mg/24h SEVERE                          |  |
| anhydrous             | Oral (rat) LD50: =600 mg/kg <sup>[2]</sup>   | Skin (rabbit): 250 mg/24h SEVERE                         |  |
| ,                     | TOXICITY   | IRRITATION   |  |
| water                 | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>   | Not Available  |  |
| Legend:               | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS     Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances |  |  |
|                       |  |  |  |
| SODIUM HYDROXIDE      | The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.   |  |  |
| Wynn's Purple Power & | No significant acute toxicological data identified in literature search.   |  |  |

WATER Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high Wynn's Purple Power & levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in **SODIUM HYDROXIDE &** a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented SODIUM METASILICATE, exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, **ANHYDROUS** moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. **SODIUM HYDROXIDE &** The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin SODIUM METASILICATE, redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce **ANHYDROUS** severe ulceration.

| Acute Toxicity                    | ×        | Carcinogenicity             | × |
|-----------------------------------|----------|-----------------------------|---|
| Skin Irritation/Corrosion         | <b>✓</b> | Reproductivity              | × |
| Serious Eye<br>Damage/Irritation  | <b>~</b> | STOT - Single Exposure      | × |
| Respiratory or Skin sensitisation | ×        | STOT - Repeated<br>Exposure | × |
| Mutagenicity                      | ×        | Aspiration Hazard           | × |

Legend:

★ - Data either not available or does not fill the criteria for classification

✓ – Data available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

# **Toxicity**

| Wynn's Purple Power               | ENDPOINT         | TEST DURATION (HR) | SPECIES                       | VALUE            | SOURCE           |
|-----------------------------------|------------------|--------------------|-------------------------------|------------------|------------------|
|                                   | Not<br>Available | Not Available      | Not Available                 | Not<br>Available | Not<br>Available |
|                                   | ENDPOINT         | TEST DURATION (HR) | SPECIES                       | VALUE            | SOURCE           |
|                                   | LC50             | 96                 | Fish                          | 125mg/L          | 4                |
| sodium hydroxide                  | EC50             | 48                 | Crustacea                     | 40.4mg/L         | 2                |
|                                   | EC50             | 96                 | Algae or other aquatic plants | 3180000mg/L      | 3                |
|                                   | NOEC             | 96                 | Fish                          | 56mg/L           | 4                |
|                                   | ENDPOINT         | TEST DURATION (HR) | SPECIES                       | VALUE            | SOURCE           |
| sodium metasilicate,<br>anhydrous | LC50             | 96                 | Fish                          | 2-320mg/L        | 2                |
|                                   | EC50             | 48                 | Crustacea                     | 1-700mg/L        | 2                |
|                                   | EC50             | 72                 | Algae or other aquatic plants | 207mg/L          | 2                |

# Wynn's Purple Power

Issue Date: 13/03/2019 Print Date: 26/08/2019

|         | ENDPOINT   | TEST DURATION (HR) | SPECIES                       | VALUE        | SOURCE |
|---------|--|--------------------|-------------------------------|--------------|--------|
| water   | LC50   | 96                 | Fish                          | 897.520mg/L  | 3      |
|         | EC50   | 96                 | Algae or other aquatic plants | 8768.874mg/L | 3      |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity |                    |                               |              |        |
|         | Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) -  |                    |                               |              |        |
|         | Bioconcentration Data 8. Vendor Data   |                    |                               |              |        |

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

| Ingredient       | Persistence: Water/Soil | Persistence: Air |
|------------------|-------------------------|------------------|
| sodium hydroxide | LOW                     | LOW              |
| water            | LOW                     | LOW              |

#### **Bioaccumulative potential**

| Ingredient       | Bioaccumulation        |  |
|------------------|------------------------|--|
| sodium hydroxide | LOW (LogKOW = -3.8796) |  |
| water            | LOW (LogKOW = -1.38)   |  |

#### Mobility in soil

| Ingredient       | Mobility         |
|------------------|------------------|
| sodium hydroxide | LOW (KOC = 14.3) |
| water            | LOW (KOC = 14.3) |

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.

▶ Recycle wherever possible.

- Product / Packaging disposal
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- ▶ Treat and neutralise at an approved treatment plant.
- Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

# **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

#### **SECTION 14 TRANSPORT INFORMATION**

# Labels Required



Marine Pollutant

NC

# Wynn's Purple Power

Issue Date: 13/03/2019 Print Date: 26/08/2019

HAZCHEM 2

2X

# Land transport (UN)

| UN number                    | 1760   |  |
|------------------------------|--|--|
| UN proper shipping name      | CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide) |  |
| Transport hazard class(es)   | Class 8 Subrisk Not Applicable                       |  |
| Packing group                |  |  |
| Environmental hazard         | Not Applicable                                       |  |
| Special precautions for user | Special provisions 223; 274  Limited quantity 5 L    |  |

# Air transport (ICAO-IATA / DGR)

| UN number                    | 1760  |         |
|------------------------------|---|---------|
| UN proper shipping name      | Corrosive liquid, n.o.s. * (contains sodium hydroxide)    |         |
| Transport hazard             | ICAO/IATA Class 8  ICAO / IATA Subrisk Not Applicable     |         |
| class(es)                    | ERG Code 8L   |         |
| Packing group                | III   |         |
| Environmental hazard         | Not Applicable  |         |
|                              | Special provisions  | A3 A803 |
|                              | Cargo Only Packing Instructions                           | 856     |
|                              | Cargo Only Maximum Qty / Pack                             | 60 L    |
| Special precautions for user | Passenger and Cargo Packing Instructions                  | 852     |
|                              | Passenger and Cargo Maximum Qty / Pack                    | 5 L     |
|                              | Passenger and Cargo Limited Quantity Packing Instructions | Y841    |
|                              | Passenger and Cargo Limited Maximum Qty / Pack            | 1 L     |

# Sea transport (IMDG-Code / GGVSee)

| UN number                    | 1760   |  |  |
|------------------------------|--|--|--|
| UN proper shipping name      | CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide)                   |  |  |
| Transport hazard class(es)   | IMDG Class 8  IMDG Subrisk Not Applicable                              |  |  |
| Packing group                | III  |  |  |
| Environmental hazard         | Not Applicable   |  |  |
| Special precautions for user | EMS Number F-A , S-B Special provisions 223 274 Limited Quantities 5 L |  |  |

# Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

Issue Date: 13/03/2019 Print Date: 26/08/2019

#### Wynn's Purple Power

| HSR Number     | Group Standard |
|----------------|----------------|
| Not Applicable | Not Applicable |

#### SODIUM HYDROXIDE(1310-73-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

GESAMP/EHS Composite List - GESAMP Hazard Profiles
IMO IBC Code Chapter 17: Summary of minimum requirements
IMO Provisional Categorization of Liquid Substances - List 3: (Trade-named)
mixtures containing at least 99% by weight of components already
assessed by IMO, presenting safety hazards

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

#### SODIUM METASILICATE, ANHYDROUS(6834-92-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

New Zealand Hazardous Substances and New Organisms (HSNO) Act Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

#### WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

IMO IBC Code Chapter 18: List of products to which the Code does not apply

New Zealand Inventory of Chemicals (NZIoC)

#### **Hazardous Substance Location**

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class   | Quantity beyond which controls apply for closed containers | Quantity beyond which controls apply when use occurring in open containers |
|----------------|--|--|
| Not Applicable | Not Applicable   | Not Applicable   |

#### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities   |
|--------------------|--------------|
| 8.2A               | Any quantity |

Refer Group Standards for further information

# **Tracking Requirements**

Not Applicable

# **National Inventory Status**

| National Inventory               | Status   |
|----------------------------------|--|
| Australia - AICS                 | Yes  |
| Canada - DSL                     | Yes  |
| Canada - NDSL                    | No (water; sodium metasilicate, anhydrous; sodium hydroxide) |
| China - IECSC                    | Yes  |
| Europe - EINEC / ELINCS /<br>NLP | Yes  |
| Japan - ENCS                     | Yes  |
| Korea - KECI                     | Yes  |
| New Zealand - NZIoC              | Yes  |
| Philippines - PICCS              | Yes  |
| USA - TSCA                       | Yes  |
| Taiwan - TCSI                    | Yes  |
| Mexico - INSQ                    | Yes  |
| Vietnam - NCI                    | Yes  |
| Russia - ARIPS                   | Yes  |
| Thailand - TECI                  | Yes  |

Chemwatch: 62108 Page 11 of 11 Issue Date: 13/03/2019 Version No: 9.1.1.1 Print Date: 26/08/2019

# Wynn's Purple Power

Yes = All CAS declared ingredients are on the inventory

No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific

ingredients in brackets)

#### **SECTION 16 OTHER INFORMATION**

| Revision Date | 13/03/2019 |
|---------------|------------|
| Initial Date  | 28/12/2003 |

# **SDS Version Summary**

Legend:

| Version | Issue<br>Date | Sections Updated  |
|---------|---------------|---|
| 8.1.1.1 | 08/07/2014    | Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Classification, Ingredients, Physical Properties, Supplier Information |
| 9.1.1.1 | 13/03/2019    | Expiration. Review and Update   |

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.