Autoserv NZ Ltd

Chemwatch Hazard Alert Code: 2

Chernwatch: **5336-56** Version No: **3.1.1.1** Safety Data Sheet according to HSNO Regulations Issue Date: 21/01/2019 Print Date: 29/04/2019 S.GHS.NZL.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	/ynn's (P) Diesel DPF Cleaner	
Synonyms	Not Available	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.
Relevant Identified uses	Cleaner.

Details of the supplier of the safety data sheet

Registered company name	Autoserv NZ Ltd
Address	Unit 2/38 Trugood Drv, East Tamaki AUCK 2013 New Zealand
Telephone	0800 438 996
Fax	Not Available
Website	Not Available
Email	warehouse@autoserv.co.nz

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	+800 2436 2255 (All Hours)
Other emergency telephone numbers	0800 764 766

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

Classification ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Carcinogenicity Category 2, Specific target organ toxicity - repeated exposure Category 2, Acute Aquatic Hazard Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	6.3A, 6.4A, 6.7B, 6.9B (inhalation), 9.1D	

Label elements

Hazard pictogram(s)



SIGNAL WORD WARNING	
Hazard statement(s)	
Causes skin irritation.	
Causes serious eye irritation.	
Suspected of causing cancer.	
May cause damage to organs through prolonged or repeated exposure.	
Toxic to aquatic life.	

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

Precautionary statement(s) Prevention

P201	ain special instructions before use.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P273	Avoid release to the environment.	

Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.	
P305+P351+P338	N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. tinue rinsing.	
P314	Set medical advice/attention if you feel unwell.	
P337+P313	eye irritation persists: Get medical advice/attention.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
111-42-2	<5	diethanolamine
68439-46-3	<5	alcohols C9-11 ethoxylated
14960-06-6	<5	N-lauryl-beta-iminodipropionic acid, sodium salt
7732-18-5	>60	water

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
-------------	--

Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 	
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

In foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

Advice for firefighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers.
Fire/Explosion Hazard	Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Precautions for safe handling

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	diethanolamine	Diethanolamine	3 ppm / 13 mg/m3	Not Available	Not Available	(skin) - Skin absorption

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
diethanolamine	Diethanolamine	3 mg/m3	28 mg/m3	130 mg/m3	
Ingredient	Original IDLH		Revised IDLH		
diethanolamine	Not Available		Not Available		
alcohols C9-11 ethoxylated	Not Available		Not Available		
N-lauryl- beta-iminodipropionic acid, sodium salt	Not Available		Not Available		
water	Not Available		Not Available		

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

	 Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C. apron. Barrier cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- + Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Colourless liquid with a characteristic odour.		
Physical state	Liquid	Relative density (Water = 1)	~1.01
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	10-11	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7

Hazardous decomposition products

SECTION 11 TOXICOLOGICAL INFORMATION

See section 5

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage.
Chronic	There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Harmful: danger of serious damage to health by prolonged exposure through inhalation. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. Imidazoline-derived amphoteric surfactants have a low acute toxicity after oral administration to rats. They do not seem to be irritating to the skin and may be slightly irritating to the eye. They did not cause gene mutations.

TOXICITY	IRRITATION
Not Available	Not Available
ΤΟΧΙCΙΤΥ	IRRITATION
Dermal (rabbit) LD50: 8342.88 mg/kg ^[2]	Eye (rabbit): 5500 mg - SEVERE
Oral (rat) LD50: 677.04 mg/kg ^[2]	Eye (rabbit):0.75 mg/24 hr SEVERE
	Eye: adverse effect observed (irritating) ^[1]
	Skin (rabbit): 50 mg (open)-mild
	Skin (rabbit): 500 mg/24 hr-mild
	Skin: adverse effect observed (irritating) ^[1]
TOXICITY	IRRITATION
Dermal (rabbit) LD50: >2000 mg/kg ^[2]	Eye (human): SEVERE
Oral (rat) LD50: 1378 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]
	Skin: no adverse effect observed (not irritating) ^[1]
	Skin: SEVERE
TOXICITY	IRRITATION
Oral (rat) LD50: 31300 mg/kg ^[2]	Eye (rabbit): moderate
	Eye: adverse effect observed (irreversible damage) ^[1]
	Eye: adverse effect observed (irritating) ^[1]
	Inhalation irritant
	Skin: adverse effect observed (irritating) ^[1]
ΤΟΧΙΟΙΤΥ	IRRITATION
Oral (rat) LD50: >90000 mg/kg ^[2]	Not Available
 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 	
	Not Available TOXICITY Dermal (rabbit) LD50: 8342.88 mg/kg ^[2] Oral (rat) LD50: 677.04 mg/kg ^[2] Oral (rat) LD50: 677.04 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: >2000 mg/kg ^[2] Oral (rat) LD50: 1378 mg/kg ^[2] TOXICITY Oral (rat) LD50: 31300 mg/kg ^[2] TOXICITY Oral (rat) LD50: 31300 mg/kg ^[2] Oral (rat) LD50: 31300 mg/kg ^[2]

sensitisation Mutagenicity	×	Aspiration Hazard	×	
Respiratory or Skin	×	STOT - Repeated Exposure	¥	
Serious Eye Damage/Irritation	*	STOT - Single Exposure	×	
Skin Irritation/Corrosion	✓	Reproductivity	×	
Acute Toxicity	×	Carcinogenicity	✓	
ACID, SODIUM SALT				
DIETHANOLAMINE & N-LAURYL- BETA-IMINODIPROPIONIC	The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.			
WATER	No significant acute toxicological data identifie	No significant acute toxicological data identified in literature search.		
N-LAURYL- BETA-IMINODIPROPIONIC ACID, SODIUM SALT	Generally these amphoteric surfactants do not seem to irritate the skin, but they mildly irritate the eye. They also do not cause mutations. Information on effects on reproduction and ability to cause cancer is unavailable. The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. for 15-40% solution: Dermal (rabbit): 10200 mg/kg * 30.7/110 * Inhalation (rabbit): >24 ml/l * Skin (rabbit): mild * (for 10% solution) Cognis Canada			
ALCOHOLS C9-11 ETHOXYLATED	cause cancer in humans; though there is evidence that it may cause cancer in mice, and damage to the foetus at levels toxic to the mother. WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans. Polyethers (such as ethoxylated surfactants and polyethylene glycols) are highly susceptible to being oxidized in the air. They then form complex mixtures of oxidation products. Animal testing reveals that whole the pure, non-oxidised surfactant is non-sensitizing, many of the oxidation products are sensitisers. The oxidization products also cause irritation. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed. Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They may irritate the skin and the eyes. At high oral doses, they may cause depressed reflexes, flaccid muscle tone, breathing difficulty and coma. Death may result in experimental animal. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration. Dermal (rabbit): 4000 mg/kg * Somnolence, ataxia, diarrhoea recorded.			
DIETHANOLAMINE	-	ays dysfunction syndrome (RAE pria for diagnosing RADS includ persistent asthma-like symptom nosis of RADS include a revers on methacholine challenge test y cause adverse health effects ease of histamines, which, in tu or asthma and inflammation of iss, anxiety, a decrease in blood e face, which are usually trans potential exposure: inhalation, so or applied on the skin. It can can se anaemia and damage the liv	 DS) which can occur after exposure to high e the absence of previous airways disease in as within minutes to hours of a documented ible airflow pattern on lung function tests, ting, and the lack of minimal lymphocytic 	

Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Tov	ic	:itv
IOX	IC	πy

SPECIES

VALUE SOURCE

	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCI
	LC50	96	Fish	1-480mg/L	2
	EC50	48	Crustacea	=28.8mg/L	1
diethanolamine	EC50	96	Algae or other aquatic plants	=2.1-2.3mg/L	1
	EC10	72	Algae or other aquatic plants	0.7mg/L	2
	NOEC	72	Algae or other aquatic plants	0.6mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
	LC50	96	Fish	8.5mg/L	4
alcohols C9-11	EC50	48	Crustacea	2.5mg/L	2
ethoxylated	EC50	96	Algae or other aquatic plants	1.4mg/L	2
	EC20	72	Algae or other aquatic plants	0.711mg/L	2
	NOEC	240	Fish	0.16mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
N-lauryl-	LC50	96	Fish	4.2mg/L	2
beta-iminodipropionic	EC50	48	Crustacea	1.71mg/L	2
acid, sodium salt	EC50	72	Algae or other aquatic plants	8.5mg/L	2
	NOEC	504	Crustacea	>=1.5mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
water	LC50	96	Fish	897.520mg/L	3
	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
Legend:	Toxicity 3. EP Data 5. ECE1	WWIN Suite V3.12 (QSAR) - Aqu	ope ECHA Registered Substances - Ecotoxic atic Toxicity Data (Estimated) 4. US EPA, Ec Data 6. NITE (Japan) - Bioconcentration Dat	otox database - Aqua	

Toxic to aquatic organisms.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
diethanolamine	LOW (Half-life = 14 days)	LOW (Half-life = 0.3 days)
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
diethanolamine	LOW (BCF = 1)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
diethanolamine	HIGH (KOC = 1)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers.
---------------------------------	--

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO Not Applicable
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002531	Cleaning Products (Toxic [6.7]) Group Standard 2017

DIETHANOLAMINE(111-42-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

GESAMP/EHS Composite List - GESAMP Hazard Profiles	International FOSFA List of Banned Immediate Previous Cargoes	
IMO IBC Code Chapter 17: Summary of minimum requirements	New Zealand Hazardous Substances and New Organisms (HSNO) Act -	
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in	Classification of Chemicals	
Bulk	New Zealand Hazardous Substances and New Organisms (HSNO) Act -	
IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances	Classification of Chemicals - Classification Data	
IMO Provisional Categorization of Liquid Substances - List 3: (Trade-named)	New Zealand Inventory of Chemicals (NZIoC)	
mixtures containing at least 99% by weight of components already	New Zealand Workplace Exposure Standards (WES)	
assessed by IMO, presenting safety hazards		
International Agency for Research on Cancer (IARC) - Agents Classified		
by the IARC Monographs		
ALCOHOLS C9-11 ETHOXYLATED(68439-46-3) IS FOUND ON THE FOLLOW	ING REGULATORY LISTS	
International Air Transport Association (IATA) Dangerous Goods Regulations	New Zealand Inventory of Chemicals (NZIoC)	
International Maritime Dangerous Goods Requirements (IMDG Code)	New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1	
New Zealand Hazardous Substances and New Organisms (HSNO) Act -	Quantity limits	
Classification of Chemicals	United Nations Recommendations on the Transport of Dangerous Goods	
New Zealand Hazardous Substances and New Organisms (HSNO) Act -	Model Regulations (English)	
Classification of Chemicals - Classification Data		
N-LAURYL-BETA-IMINODIPROPIONIC ACID, SODIUM SALT(14960-06-6) IS F	FOUND ON THE FOLLOWING REGULATORY LISTS	
International Air Transport Association (IATA) Dangerous Goods Regulations	New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1	
International Maritime Dangerous Goods Requirements (IMDG Code)	Quantity limits	
New Zealand Inventory of Chemicals (NZIoC)	United Nations Recommendations on the Transport of Dangerous Goods	
	Model Regulations (English)	
I		
WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS		
IMO IBC Code Chapter 18: List of products to which the Code does not	New Zealand Inventory of Chemicals (NZIoC)	
apply		

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status	
Australia - AICS	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (N-lauryl-beta-iminodipropionic acid, sodium salt; diethanolamine; water; alcohols C9-11 ethoxylated)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (alcohols C9-11 ethoxylated)	
Japan - ENCS	No (alcohols C9-11 ethoxylated)	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (N-lauryl-beta-iminodipropionic acid, sodium salt)	

Vietnam - NCI	Yes	
Russia - ARIPS	No (N-lauryl-beta-iminodipropionic acid, sodium salt; alcohols C9-11 ethoxylated)	
Thailand - TECI	No (N-lauryl-beta-iminodipropionic acid, sodium salt)	
Legend:	Yes = All declared ingredients are on the inventory No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 OTHER INFORMATION

Revision Date	21/01/2019
Initial Date	17/01/2019

SDS Version Summary

Version	Issue Date	Sections Updated
3.1.1.1	21/01/2019	Name

Other information

Ingredients with multiple cas numbers

Name	CAS No
N-lauryl- beta-iminodipropionic acid, sodium salt	14960-06-6, 195603-51-1

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

